

# 2WIRE Converter DIN

# User Manual

30 March 2026

Version 2.0

**ADATIS**

## VERSION HISTORY

Version	Date	Comment
1.0	03.04.2021	First version
1.5	19.07.2021	Last version for Adatis GmbH & Co. KG
2.0	30.03.2026	New version for hardware V6.1

**Copyright © 2026 adatec GmbH**

All rights reserved.

adatec assumes no liability for any errors in this manual. Furthermore, adatec reserves the right to change the hardware, software and/or specifications described herein at any time without prior notice and does not commit to updating the information contained herein. adatec products are not approved for use as critical components in life-sustaining devices or systems.

All trademarks listed herein are the property of their respective owners.

## TABLE OF CONTENTS

<b>1.</b>	<b>About this Product .....</b>	<b>4</b>
1.1.	Features .....	4
1.2.	Scope of Delivery .....	4
1.3.	Type Distinction PD and PSE Box .....	4
<b>2.</b>	<b>Mechanical Installation .....</b>	<b>4</b>
<b>3.</b>	<b>Electrical Connection .....</b>	<b>5</b>
3.1.	2-Wire Connection .....	5
3.2.	Ethernet Connection .....	5
<b>4.</b>	<b>Power Supply .....</b>	<b>6</b>
4.1.	Power Supply via PoE Switch .....	6
4.2.	Power Supply via External Power Supply Unit .....	7
<b>5.</b>	<b>Pairing.....</b>	<b>8</b>
5.1.	No Password Entry Required .....	8
5.2.	Position of the Button .....	8
5.3.	Pairing Procedure.....	8
5.4.	Retaining the Password .....	8
<b>6.</b>	<b>LED Indicators .....</b>	<b>9</b>
6.1.	Front Panel LED Indicators .....	9
6.2.	Ethernet Socket LEDs .....	10
<b>7.</b>	<b>Glossary .....</b>	<b>11</b>
<b>8.</b>	<b>Dimensions .....</b>	<b>12</b>
<b>9.</b>	<b>CE Declaration .....</b>	<b>13</b>
<b>10.</b>	<b>Legal Notices .....</b>	<b>14</b>

## 1. About this Product

### 1.1. Features

#### Ethernet Connection for Remote Devices

The Adatis 2Wire Converter DIN provides an Ethernet connection at locations where no structured cabling exists. The connection is made via any unused wire pair of an existing cable installation, bridging distances of up to 1000m.

The use of the 2Wire Converter is therefore particularly indicated when distances must be bridged that exceed the permissible cable length of structured cabling, which is typically limited to 100m. Since the power supply of the converters and connected devices is provided via the same wire pair, the wires must be voltage-free.

#### Use as PD or PSE

Depending on the type selected, the Ethernet connection of the converter box behaves with respect to Power-over-Ethernet (PoE) either as a Powered Device (PD) which is supplied with power by a PoE Ethernet switch, PoE injector or an on-site power supply, or as Power Sourcing Equipment (PSE) which provides Power-over-Ethernet for connected devices.

#### AES Encryption

A further advantage of connecting devices via the 2Wire Converter is the built-in encryption technology based on the AES standard with 128 bits.

### 1.2. Scope of Delivery


As 2Wire Set:

1x 2Wire Box Type PD (switch side = local side)

1x 2Wire Box Type PSE (terminal device side = remote side)

### 1.3. Type Distinction PD and PSE Box

The different 2Wire Converter types can easily be distinguished by the front panel or the type label. The type label explicitly states the type "PD" or "PSE". When installed, the type can be identified by the front panel:




#### PD-Box

Feature: 5 LEDs on the front panel

Function: Connected to the PoE switch or a PoE power injector and supplied with power by the switch/injector.

Alternatively, the power supply can be provided via a power supply unit with 48-56VDC through the barrel connector.



#### PSE-Box

Feature: 3 LEDs on the front panel

Function: Connected to the 2-wire line and provides PoE (802.3af) at the Ethernet connection.


Alternatively, terminal devices can be supplied with 12VDC (max. 0.8A) from the barrel connector.

## 2. Mechanical Installation

### DIN Rail Mounting

The 2Wire Converter is designed for mounting on a DIN rail and can either be slid laterally onto the rail or clipped onto it from the front.

**IMPORTANT:** When choosing the installation location, care must be taken to ensure that the device has sufficient ventilation through the ventilation slots recessed into the sides of the box. If the installation location is difficult to access, pairing should be performed prior to final installation if necessary.



## 3. Electrical Connection

### 3.1. 2-Wire Connection

The 2-wire connection is made via a pluggable screw terminal with a pitch of 3.5 mm. This allows for a convenient installation. The screw terminal is suitable for solid and stranded wires and is designed for wire cross-sections of 0.13-1.5 mm<sup>2</sup> (corresponding to AWG 26-16). Cables should be stripped to a length of approximately 6-7 mm. The M2 screw of the terminal may only be tightened by hand. The maximum torque is 0.34 Nm.

**WARNING:** It is absolutely essential to ensure that the cables used are voltage-free. Connecting live cables to the 2-wire connection can destroy the device.

**Polarity:** The 2-wire line is polarity-free, i.e. transmission and power supply work with any polarity of the cables.

**IMPORTANT:** It is absolutely essential to ensure that when using more than one 2Wire system, a distance of  $\geq 1$  m is maintained between the twisted wire pairs of the different 2Wire systems.

### 3.2. Ethernet Connection


The Ethernet connection is made at the RJ45 socket of the 2Wire Converter. The Ethernet interface has an Auto-MDIX function. This guarantees a working connection in any case, even if a crossover cable with reversed polarity is used instead of a standard Ethernet cable (intentionally or unintentionally).

Furthermore, the interface features automatic detection of the transmission speed 10/100 Base-T and supports both half- and full-duplex communication.

## 4. Power Supply

### 4.1. Power Supply via PoE Switch

The 2Wire Set consists of 2 converter boxes that can be used completely independently of other products to provide an Ethernet connection even without the presence of structured cabling. For illustration purposes, the side to which the network switch is connected is referred to below as the local side, and the converter box on the other side of the 2-wire connection as the remote side.



#### Connection on the Local Side

As shown in the figure, the power supply is provided via the network switch. From the perspective of the PoE switch, the converter box is a Powered Device (PD) that is supplied with electrical power by the switch. Alternatively, a PoE power injector can be used if the switch does not support PoE.

The power supply is used firstly for the local converter box, which requires approximately 1 W of its own consumption. The remaining power is transmitted via the 2-wire connection to the remote converter box, which is supplied by it. This also requires approximately 1 W of power. After deducting the self-consumption of both converter boxes, the remaining power is available to supply a connected PoE device on the remote side.

#### Connection on the Remote Side

On the remote side, PoE is again available at the Ethernet socket for PD devices to be connected. However, the power is limited here to class 0, i.e. 12.95W. If the terminal devices used on the remote side do not support PoE, a 12 VDC output is available at the barrel connector. The maximum permissible current is 0.8A. The power supply is protected against overload. The required plug must have an outer diameter of 5.5mm and an inner diameter of 2.55mm and is not included in the scope of delivery.


**Note:** Both power supply options on the remote side, i.e. via PoE-PSE and via 12 VDC at the barrel connector, are available simultaneously. However, the output-side power is limited by the input power on the local side minus 2x self-consumption and line losses.

### Compensation of Line Losses

It should be noted that ohmic resistance always causes line losses in the wire pair. This loss increases proportionally with the cable length. The cable should therefore always be as short as necessary and the cross-section of the wires used should be as large as possible. A wire with a copper cross-section of 0.8 mm should therefore be preferred over a cable with only 0.6 mm cross-section. To improve the cable cross-section, cables can be connected in parallel.

### 4.2. Power Supply via External Power Supply Unit

The 2Wire Set consists of 2 converter boxes that can be used completely independently of other products to provide an Ethernet connection even without the presence of structured cabling.



#### Connection on the Local Side

As shown in the figure, the power supply is provided via a plug-in power supply unit (48-56VDC). For the network connection, the PD box is connected to an Ethernet switch without PoE. The power supply is used firstly for the PD converter box, which requires approximately 1 W of its own consumption. The remaining power is transmitted via the 2-wire connection to the remote PSE converter box, which is supplied by it and also requires approximately 1W of its own consumption. After deducting the self-consumption of both converter boxes, the remaining power is available to supply a connected device (via PoE or 12V barrel connector) on the remote side.

#### Connection on the Remote Side

The power feed on the local side has no influence on the connection on the remote side.

## 5. Pairing

Pairing refers to the setup of a transmission link in which the two 2Wire Converters involved are coordinated with each other and an encrypted connection is established between the two converters. Encryption always takes place; however, without explicit pairing, a preset factory password is used. Through pairing, a new, unknown password for encryption is used between the participating boxes.

### 5.1. No Password Entry Required

Data transmission over the 2-wire line is AES-128 encrypted. To secure a transmission link with encryption, it is normally necessary to enter a password on both sides. So that the converters do not need to be separately parameterised or configured, a means of establishing an encrypted connection via a so-called pairing button has been provided.

### 5.2. Position of the Button

The pairing button can be reached through the hole in the front panel cover above the "PAIR" inscription using a paper clip.

**IMPORTANT:** When pressing the button in the converter box, care must be taken to ensure that no small metal parts enter the interior of the device. The paper clip used should be inserted as horizontally as possible to hit the button. Under no circumstances should a longer thin wire be used.

### 5.3. Pairing Procedure

The pairing buttons in both boxes are pressed in quick succession so that the respective green 2W-PWR LED flashes. This is best done before mounting the boxes. The flashing of the LEDs indicates that the devices are performing a pairing process in which a password exchange takes place. After completion of the pairing process, this LED lights up continuously. The devices are now connected to each other and data transmission is encrypted.

### 5.4. Retaining the Password


The pairing process only needs to be performed once during installation. Even after the supply voltage is removed, the two boxes remain assigned to each other, i.e. they retain the negotiated secret password. Should it be necessary to replace a box, pairing must be performed again to enable communication and connect the devices. Pairing can be repeated any number of times.

## 6. LED Indicators

### 6.1. Front Panel LED Indicators

The LED indicators on the front panel of the DIN rail housing are each divided into two sections. Above the “ADATIS” lettering, the LEDs for signalling the PoE status are mounted. Therefore the boxes differ depending on the function PD or PSE.

Below the “ADATIS” lettering, there are 2 LEDs for operating states of the converter and the 2Wire line. The converter types do not differ here, i.e. these LEDs are identical for the PD and the PSE box.



**PoE-TPH:** Type Power High – upper bit of the 2-bit power code (PD box only)

**PoE-TPL:** Type Power Low – lower bit of the 2-bit power code (PD box only)

**PoE-BT:** BT-Flag – IEEE 802.3bt PSE (Type 3 or 4) detected (PD box only)

**PoE-PSE:** Status of the PSE function – see table below (PSE box only)

**2W-PWR:** Power supply of the 2Wire Converter present

**2W-LINE:** 2Wire connection to the remote side established

**PAIR:** Button for negotiating a password (see Chapter 5 “Pairing”)

#### PD-Box

The PD box supports all currently existing PoE standards, i.e. standard PoE (802.3af), PoE+ (802.3at) and PoE++ (802.3bt). The PoE switch or power injector used determines the power class. This is negotiated when the PD box is connected and displayed accordingly with 3 LEDs. The following table shows the signalling of the negotiated PoE status according to PSE type and PD class and the available power.

PSE Type	PD Class	Power at PD (W)	PoE-TPH	PoE-TPL	PoE-BT
1-2	0	12,95	OFF	OFF	OFF
1-2	1	3,84	OFF	OFF	OFF
1-2	2	6,49	OFF	OFF	OFF
1-2	3	12,95	OFF	OFF	OFF
2	4	25,5	OFF	ON	OFF
3-4	0	12,95	OFF	OFF	ON
3-4	1	3,84	OFF	OFF	ON
3-4	2	6,49	OFF	OFF	ON
3-4	3	12,95	OFF	OFF	ON
3-4	4	25,5	OFF	ON	ON
3-4	5	40	ON	OFF	ON
3-4	6	51	ON	OFF	ON
4	7	62	ON	ON	ON
4	8	71	ON	ON	ON


### PSE-Box

The PSE box has only one LED “PoE-PSE” which signals the state of the PSE power supply and possible error states by flashing.


PSE Status	LED State	Blink Pattern
No PoE device connected	<b>OFF</b>	●
Ethernet connection open	<b>OFF</b>	●
PoE in operation	<b>ON</b>	☼
Signature resistance too low	1x Blinking	☼ ● ● ● ☼ ● ● ● ☼ ● ● ●
Signature resistance too high	2x Blinking	☼ ☼ ● ● ☼ ☼ ● ● ☼ ☼ ● ●
PoE overload	5x Blinking	● ● ● ● ☼ ☼ ☼ ☼ ☼ ● ● ●
Power Management Error	9x Blinking	● ☼ ☼ ☼ ☼ ☼ ☼ ☼ ☼ ● ●

### 6.2. Ethernet Socket LEDs

The Ethernet socket in RJ45 form factor is used to connect the network cable. 2 LEDs are built into the socket.



**LED – yellow:** The LED is blinking when data is transferred.




**LED – green:** The LED is lit when the Ethernet link is active, i.e. the connection is established.

## 7. Glossary

<b>10Base-T</b>	Older Ethernet standard according to IEEE standard 802.3 since 1991 for transmission via one twisted wire pair each for sending and receiving at a speed of 10 Mbit/s.
<b>100Base-TX</b>	Standard Ethernet over so-called structured cabling according to Cat-5 (one twisted wire pair per transmission direction) at a speed of 100 Mbit/s.
<b>1000Base-T</b>	Ethernet at 1 Gigabit/s over copper cables that must meet the Cat-5 UTP category or better Cat-5e or Cat-6.
<b>802.3af</b>	The extension of the Ethernet standard to include a power supply for devices. Power-over-Ethernet (PoE) refers to a method by which network-capable devices can be supplied with power via the 8-wire Ethernet cable. The maximum power is 12.5 W.
<b>802.3at</b>	Newer Power-over-Ethernet standard, also referred to as PoE+ or PoE Plus, with increased power up to 25 W.
<b>802.3bt</b>	Latest Power-over-Ethernet standard, also referred to as PoE++ or PoE Plus Plus. The standard is divided into 2 types, Type 3 with up to 60 W and Type 4 with up to 90 W.
<b>AES</b>	The Advanced Encryption Standard is currently the most secure encryption method, which has been announced as a standard by the National Institute of Standards and Technology (NIST) since 2000 as the successor to the older DES and 3DES methods.
<b>Auto-MDIX</b>	Devices with Auto-MDIX function have the ability to automatically detect the transmit and receive lines of the connected device and adjust accordingly. The type of cable used (crossover or straight-through) is irrelevant here.
<b>AWG</b>	American Wire Gauge is a coding for wire diameters and is predominantly used in North America. It identifies electrical cables made of stranded and solid wire and is mainly used in electrical engineering to designate the cross-section of conductors.
<b>Crossover Cable</b>	In computer network technology, a crossover cable is an eight-wire cable in which certain cable conductors are swapped in one of the two RJ45 connectors. While a non-crossed (straight through) network cable connects computers with switches, a crossover cable can be used to directly connect two computers (or two switches) with each other.
<b>Full-Duplex</b>	Today's Ethernet standards have one wire pair each for the transmit and receive direction. This allows independent and simultaneous transmission and reception. This is referred to as full-duplex operation.
<b>Half-Duplex</b>	In early Ethernet networks, only one cable was used for both sending and receiving. This meant that it was not possible to send and receive simultaneously. This alternating sending and receiving is referred to as half-duplex in communications engineering.

<b>Pairing</b>	Pairing refers to the process of assigning two devices to each other. During the pairing process, keys are exchanged so that an encrypted connection can subsequently be established between the participating devices without the need to enter a password on each device.
<b>PD</b>	A Powered Device is a terminal device that is supplied with power via Ethernet.
<b>PoE Plus</b>	see 802.3at
<b>PoE Plus Plus</b>	See 802.3bt
<b>Power Injector</b>	A Power Injector or PoE Injector is a so-called midspan device that is inserted between the network switch and PD and supplies power to the respective wires. This may be necessary when switches without PoE function are used.
<b>PSE</b>	Power Sourcing Equipment is a component of the PoE architecture that determines whether a PoE-compatible device, a Powered Device (PD), is connected and needs to be supplied with power. If the PSE device detects such a device, it supplies it with power via the existing data line.
<b>RJ45</b>	RJ45 refers to a standardised 8-pin modular connector that is used worldwide for Ethernet networks. Shielded sockets and plugs are used in the Ethernet sector.
<b>Signature Resistance</b>	The signature resistance in the PoE architecture refers to the characteristic impedance for the devices to be supplied. The PSE device uses the signature resistance to determine whether a device connected to the network is a PD and which power class this PD corresponds to.

## 8. Dimensions



## 9. CE Declaration

Adatec GmbH

Kutzerstr. 30

90765 Fürth

confirms that the product

### 2Wire Converter DIN

complies with the provisions of the directives on Electromagnetic Compatibility 2004/108/EC and has been developed and manufactured in accordance with the following standards:

Emission: EN55022, EN61000-3-2, EN61000-3-3

Immunity: EN55024 (EN61000-4-2 bis -6; -8; -11)

Nuremberg, 24 March 2026

Adatec GmbH

Signed: Michael Gilge (Managing Director)

Note: This declaration of conformity loses its validity if the product, without the express consent of adatec GmbH,

- is rebuilt, supplemented or otherwise modified, or
- in the event of improper connection or use other than intended.

## 10. Legal Notices

We reserve the right to make changes to our products that serve technical progress. The products shown may also differ visually from the delivered products in the course of continuous development.

Reproduction or adoption of texts, illustrations and photos in any media from these instructions – even in extracts – is only permitted with our express written consent.

The design of these instructions is subject to copyright protection. We accept no liability for any errors, as well as content or printing errors (including in technical data or within graphics and technical sketches).

### Notes on Product Liability Law

All products in these instructions may only be used for the specified purpose. If in doubt, this must be clarified with a competent specialist or our service department.

Products that are supplied with voltage (in particular 230 V mains voltage) must be disconnected from the power supply before opening or connecting cables.

Damage and consequential damage caused by interference or modifications to our products as well as improper handling are excluded from liability. The same applies to improper storage or external influences.

When handling 230 V mains voltage or products operated on the mains or battery, the relevant directives must be observed, e.g. directives for compliance with electromagnetic compatibility or the Low Voltage Directive. Corresponding work should only be carried out by a specialist who is familiar with it.

Our products comply with all technical directives and telecommunications regulations applicable in Germany and the EU.